ELSEVIER

Neuroscience Letters 325 (2002) 219–222

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 325

Abdullah, L., see Ait-Ghezala, G., 87
Aihara, Y., see Ishiwata, T., 167
Ait-Ghezala, G., Abdullah, L., Crescentini, R., Crawford, F., Town, T., Singh, S., Richards, D., Duara, R., Mullan, M., Confirmation of association between D10S583 and Alzheimer's disease in a case–control sample, 87
Al Deeb, S., Al Moutaery, K., Arshaduddin, M., Biary, N., Tariq, M., Effect of acute caffeine on severity of harmaline induced tremor in rats, 216
Al Moutaery, K., see Al Deeb, S., 216
Alfter, D., see Falkai, P., 25
Alku, P., see Cheour, M., 187
Altura, B.M., Gebrewold, A., Zhang, A., Altura, B.T., Ethanol induces rapid lipid peroxidation and activation of nuclear factor-kappa B in cerebral vascular smooth muscle: relation to alcohol-induced brain injury in rats, 95
Altura, B.T., see Altura, B.M., 95
Antonawich, F.J., Said, S.I., Vasoactive intestinal peptide attenuates cytochrome *c* translocation, and apoptosis, in rat hippocampal stem cells, 151
Antunes, E., see Gasparetti, A.L., 147
Arendt, J., see Gibbs, M., 91
Arnold, K., see Thaung, C., 21
Arshaduddin, M., see Al Deeb, S., 216
Asanuma, M., Miyazaki, I., Higashi, Y., Cadet, J.L., Ogawa, N., Methamphetamine-induced increase in striatal p53 DNA-binding activity is attenuated in Cu,Zn-superoxide dismutase transgenic mice, 191

Badia, A., see Roman, S., 103
Badiani, A., Vaccaro, R., Burdino, R., Casini, A., Valeri, P., Renda, T.G., Nencini, P., Dissociation in the effects of the D2/D3 dopaminergic agonist quinpirole on drinking and on vasopressin levels in the rat, 79
Bae, C.-S., see Lee, J.-H., 129
Bae, H., see Lee, G., 17
Bagaev, V., see Liubashina, O., 183
Balon, N., Kriem, B., Weiss, M., Rostain, J.-C., Indirect presynaptic modulation of striatal dopamine release by $GABA_B$ receptors in the rat substantia nigra, 33
Baron, J.-C., see Guillery, B., 62
Bernardi, G., see Fornai, F., 124
Bernardi, G., see Orlacchio, A., 13
Biary, N., see Al Deeb, S., 216
Bilecki, W., see Przewlocka, B., 107
Blank, B., see Falkai, P., 25
Blanken, G., Dittmann, J., Wallesch, C.-W., Parallel or serial activation of word forms in speech production? Neurolinguistic evidence from an aphasic patient, 72
Brown Jr., R.H., see Morita, M., 57
Brown, E.R., see Vinogradova, I.M., 42
Burdino, R., see Badiani, A., 79
Burke, R.E., see Neystat, M., 119
Bussfeld, P., see Falkai, P., 25

Cadet, J.L., see Asanuma, M., 191
Carri, M.T., see Fornai, F., 124
Casini, A., see Badiani, A., 79
Ceponiene, R., see Cheour, M., 187
Cheour, M., Shestakova, A., Alku, P., Ceponiene, R., Näätänen, R., Mismatch negativity shows that 3–6-year-old children can learn to discriminate non-native speech sounds within two months, 187
Clos, M.V., see Roman, S., 103
Coffey, P.J., see Thaung, C., 21
Cordes, J., see Falkai, P., 25
Costa, S.K.P., see Gasparetti, A.L., 147
Crawford, F., see Ait-Ghezala, G., 87
Crescentini, R., see Ait-Ghezala, G., 87
Cui, L., see Zhang, X., 99

de Ceballos, M.L., see Sáez-Valero, J., 199
de Felipe, C., see Sáez-Valero, J., 199
de la Sayette, V., see Guillery, B., 62
De Nucci, G., see Gasparetti, A.L., 147
Desgranges, B., see Guillery, B., 62
Di Giovanni, G., see Sardo, P., 179
Dittmann, J., see Blanken, G., 72
Do, M.C., see Michel, V., 139
Duara, R., see Ait-Ghezala, G., 87
Duchemin, A.-M., see Isola, R., 67

Eustache, F., see Guillery, B., 62

Falkai, P., Honer, W.G., Alfter, D., Schneider-Axmann, T., Bussfeld, P., Cordes, J., Blank, B., Schönell, H., Steinmetz, H., Maier, W., Tepest, R., The temporal lobe in schizophrenia from uni- and multiply affected families, 25
Feldhoff, P.W., see Imm, M.D., 175
Feldhoff, R.C., see Imm, M.D., 175
Fernandes, V.M.V., see Nicolato, R., 155
Ferraro, G., see Sardo, P., 179
Ferri, A., see Fornai, F., 124
Fornai, F., Carrì, M.T., Ferri, A., Paolucci, E., Prisco, S., Bernardi, G., Rotilio, G., Mercuri, N.B., Resistance to striatal dopamine depletion induced by 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in mice expressing human mutant Cu,Zn superoxide dismutase, 124
Furuno, T., see Noguchi, A., 29
Fuxe, K., see Lepiku, M., 111

PII: S0304-3940(02)00501-3

Galati, S., see Sardo, P., 179
Gasparetti, A.L., Hyslop, S., Costa, S.K.P., Priviero, F.B.M., De Nucci, G., Antunes, E., Zanesco, A., Chronotropic response of β-adrenergic-, muscarinic-, and calcitonin gene-related peptide-receptor agonists in right atria from neonatal capsaicin-treated rats, 147
Gebrewold, A., see Altura, B.M., 95
Gentile, S., see Vinogradova, I.M., 42
Ghika, J., see Pralong, E., 144
Gibbs, M., Hampton, S., Morgan, L., Arendt, J., Adaptation of the circadian rhythm of 6-sulphatoxymelatonin to a shift schedule of seven nights followed by seven days in offshore oil installation workers, 91
Giordano, M., see Gutiérrez-Ospina, G., 207
Gomez, M.V., see Nicolato, R., 155
Gomez, R.S., see Nicolato, R., 155
Gong, Q.-L., see Peng, Y.-J., 134
Groslambert, A., Nachon, M., Rouillon, J.D., Influence of the age on self regulation of static grip forces from perceived exertion values, 52
Grothe, J., see Ruchsow, M., 203
Guillery, B., Desgranges, B., de la Sayette, V., Landeau, B., Eustache, F., Baron, J.-C., Transient global amnesia: concomitant episodic memory and positron emission tomography assessment in two additional patients, 62
Gutiérrez de la Barrera, A., see Gutiérrez-Ospina, G., 207
Gutiérrez-Ospina, G., Gutiérrez de la Barrera, A., Larriva, J., Giordano, M., Insulin-like growth factor I partly prevents axon elimination in the neonate rat optic nerve, 207

Hadjiconstantinou, M., see Isola, R., 67
Hampton, S., see Gibbs, M., 91
Han, I.-O., Kim, K.-W., Ryu, J.H., Kim, W.-K., p38 mitogen-activated protein kinase mediates lipopolysaccharide, not interferon-γ, -induced inducible nitric oxide synthase expression in mouse BV2 microglial cells, 9
Harada, A., see Sato, T., 83
Hasegawa, H., see Ishiwata, T., 167
Higashi, Y., see Asanuma, M., 191
Hirashima, N., see Noguchi, A., 29
Ho, M., see Morita, M., 57
Honer, W.G., see Falkai, P., 25
Hong, H.-N., see Lee, J.-H., 129
Hong, M., see Lee, G., 17
Horiguchi, T., Shima, H., Suga, S., Ogino, M., Shimizu, K., Toya, S., Nagao, M., Kawase, T., Transient forebrain ischemia induces expression of serine/threonine protein phosphatase 1 mRNA in the vulnerable regions of gerbil brain, 115
Hosler, B.A., see Morita, M., 57
Huang, X., see Zhang, X., 99
Hyslop, S., see Gasparetti, A.L., 147

Imai, K., see Soeda, H., 5
Imm, M.D., Feldhoff, P.W., Feldhoff, R.C., Lassiter, H.A., The administration of complement component C9 augments post-ischemic cerebral infarction volume in neonatal rats, 175
Inoue, M., see Shibuya, S., 171
Ishiwata, T., Hasegawa, H., Yazawa, T., Otokawa, M., Aihara, Y., Functional role of the preoptic area and anterior hypothalamus in thermoregulation in freely moving rats, 167
Isola, R., Zhang, H., Duchemin, A.-M., Tejwani, G.A., Neff, N.H., Hadjiconstantinou, M., Met-enkephalin and preproenkephalin mRNA changes in the striatum of the nicotine abstinence mouse, 67
Iwamoto, Y., Yoshida, K., Saccadic dysmetria following inactivation of the primate fastigial oculomotor region, 211

Jackson, I.J., see Thaung, C., 21
Järv, J., see Lepiku, M., 111

Kakigi, R., see Watanabe, S., 163
Kang, Y.H., see Suh, Y.S., 1
Katayama, Y., see Soeda, H., 5
Kato, S., see Sato, T., 83
Kawai, N., see Niu, A., 37
Kawarai, T., see Orlacchio, A., 13
Kawase, T., see Horiguchi, T., 115
Kholodilov, N., see Neystat, M., 119
Khotiantsev, S., see Liubashina, O., 183
Kiefer, M., see Ruchsow, M., 203
Kim, D., see Lee, J.-H., 129
Kim, H., see Suh, Y.S., 1
Kim, K.-W., see Han, I.-O., 9
Kim, S.-R., see Lee, J.-H., 129
Kim, W.-K., see Han, I.-O., 9
Koenig, H.N., Olive, M.F., Ethanol consumption patterns and conditioned place preference in mice lacking preproenkephalin, 75
Kominami, E., see Shibuya, S., 171
Kozawa, Y., see Soeda, H., 5
Kriem, B., see Balon, N., 33

La Grutta, V., see Sardo, P., 179
Landeau, B., see Guillery, B., 62
Larriva, J., see Gutiérrez-Ospina, G., 207
Lassiter, H.A., see Imm, M.D., 175
Lee, G., Rho, S., Shin, M., Hong, M., Min, B.-i., Bae, H., The association of cholecystokinin-A receptor expression with the responsiveness of electroacupuncture analgesic effects in rat, 17
Lee, J.-H., Kim, S.-R., Bae, C.-S., Kim, D., Hong, H.-N., Nah, S.-Y., Protective effect of ginsenosides, active ingredients of *Panax* ginseng, on kainic acid-induced neurotoxicity in rat hippocampus, 129
Lepiku, M., Järv, J., Fuxe, K., Rinken, A., Reversible and irreversible components of [^{3}H]-N-propylnorapomorphine interaction with rat striatal membranes, 111
Li, P., see Peng, Y.-J., 134
Li, S., see Zhang, X., 99
Liubashina, O., Bagaev, V., Khotiantsev, S., Amygdalofugal modulation of the vago-vagal gastric motor reflex in rat, 183

Maier, W., see Falkai, P., 25
Maj, M., see Przewlocka, B., 107
Manhães, A.C., Medina, A.E., Schmidt, S.L., Sex differences in the incidence of total callosal agenesis in BALB/cCF mice, 159
McKenna-Yasek, D., see Morita, M., 57
Medina, A.E., see Manhães, A.C., 159
Mercuri, N.B., see Fornai, F., 124
Michel, V., Do, M.C., Are stance ankle plantar flexor muscles necessary to generate propulsive force during human gait initiation?, 139
Miki, K., see Watanabe, S., 163
Min, B.-i., see Lee, G., 17
Mishima, H., see Soeda, H., 5
Miyazaki, I., see Asanuma, M., 191
Mizui, T., see Niu, A., 37
Moraes-Santos, T., see Nicolato, R., 155
Morgan, L., see Gibbs, M., 91

Morita, M., Ho, M., Hosler, B.A., McKenna-Yasek, D., Brown Jr., R.H., A novel mutation in the *spastin* gene in a family with spastic paraplegia, 57
Mullan, M., see Ait-Ghezala, G., 87

Näätänen, R., see Cheour, M., 187
Nachon, M., see Groslambert, A., 52
Nagao, M., see Horiguchi, T., 115
Nah, S.-Y., see Lee, J.-H., 129
Nakanishi, M., see Noguchi, A., 29
Neff, N.H., see Isola, R., 67
Nencini, P., see Badiani, A., 79
Neystat, M., Rzhetskaya, M., Kholodilov, N., Burke, R.E., Analysis of synphilin-1 and synuclein interactions by yeast two-hybrid β-galactosidase liquid assay, 119
Nicolato, R., Fernandes, V.M.V., Moraes-Santos, T., Gomez, R.S., Prado, M.A.M., Romano-Silva, M.A., Gomez, M.V., Release of γ-[^{3}H]aminobutyric acid in rat brain cortical slices by α-scorpion toxin, 155
Nilsson, G.E., see Paslawski Rødland, T., 195
Niu, A., Shimazaki, K., Sugawara, Y., Mizui, T., Kawai, N., Heterotopic graft of infant rat brain as an ischemic model for prolonged whole-brain ischemia, 37
Noguchi, A., Hirashima, N., Furuno, T., Nakanishi, M., Activation of receptor tyrosine kinases promotes gene transfection in rat neuronal PC12 cells by cationic liposomes, 29

Oda, S.-i., see Suh, Y.S., 1
Ogawa, N., see Asanuma, M., 191
Ogino, M., see Horiguchi, T., 115
Olive, M.F., see Koenig, H.N., 75
Oniki, H., see Shibuya, S., 171
Orlacchio, A., Kawarai, T., Paciotti, E., Stefani, A., Orlacchio, A., Sorbi, S., St George-Hyslop, P.H., Bernardi, G., Association study of the 5-hydroxytryptamine$_6$ receptor gene in Alzheimer's disease, 13
Orlacchio, A., see Orlacchio, A., 13
Otokawa, M., see Ishiwata, T., 167

Paciotti, E., see Orlacchio, A., 13
Paolucci, E., see Fornai, F., 124
Paslawski Rødland, T., Nilsson, G.E., Endothelin induced cerebral vasoconstriction in rainbow trout, detected in a novel in vitro preparation, 195
Peng, Y.-J., Wang, N., Gong, Q.-L., Li, P., Caudal ventrolateral medulla mediates the depressor response elicited by the greater splanchnic nerve afferent stimulation in rats, 134
Pollo, C., see Pralong, E., 144
Prado, M.A.M., see Nicolato, R., 155
Pralong, E., Ghika, J., Temperli, P., Pollo, C., Vingerhoets, F., Villemure, J.-G., Electrophysiological localization of the subthalamic nucleus in parkinsonian patients, 144
Prisco, S., see Fornai, F., 124
Priviero, F.B.M., see Gasparetti, A.L., 147
Przewlocka, B., Sieja, A., Starowicz, K., Maj, M., Bilecki, W., Przewlocki, R., Knockdown of spinal opioid receptors by antisense targeting β-arrestin reduces morphine tolerance and allodynia in rat, 107
Przewlocki, R., see Przewlocka, B., 107

Renda, T.G., see Badiani, A., 79
Rho, S., see Lee, G., 17
Rhyu, I.J., see Suh, Y.S., 1
Richards, D., see Ait-Ghezala, G., 87
Rinken, A., see Lepiku, M., 111
Roman, S., Vivas, N.M., Badia, A., Clos, M.V., Interaction of a new potent anticholinesterasic compound (±)huprine X with muscarinic receptors in rat brain, 103
Romano-Silva, M.A., see Nicolato, R., 155
Rostain, J.-C., see Balon, N., 33
Rotilio, G., see Fornai, F., 124
Rouillon, J.D., see Groslambert, A., 52
Ruchsow, M., Grothe, J., Spitzer, M., Kiefer, M., Human anterior cingulate cortex is activated by negative feedback: evidence from event-related potentials in a guessing task, 203
Ryu, J.H., see Han, I.-O., 9
Rzhetskaya, M., see Neystat, M., 119

Saburi, S., see Sato, T., 83
Sáez-Valero, J., de Ceballos, M.L., Small, D.H., de Felipe, C., Changes in molecular isoform distribution of acetylcholinesterase in rat cortex and cerebrospinal fluid after intracerebroventricular administration of amyloid β-peptide, 199
Said, S.I., see Antonawich, F.J., 151
Saint-Pierre, D.H., see Wang, L., 47
Sardo, P., Ferraro, G., Di Giovanni, G., Galati, S., La Grutta, V., Inhibition of nitric oxide synthase influences the activity of striatal neurons in the rat, 179
Sato, T., Sato-Harada, R., Kato, S., Saburi, S., Harada, A., Localization of cAMP-dependent protein kinase in the actin and microtubule cytoskeletons in mouse hippocampal neurons, 83
Sato-Harada, R., see Sato, T., 83
Schmidt, S.L., see Manhães, A.C., 159
Schneider-Axmann, T., see Falkai, P., 25
Schönell, H., see Falkai, P., 25
Shestakova, A., see Cheour, M., 187
Shibuya, S., Wakayama, Y., Inoue, M., Oniki, H., Kominami, E., Changes in the distribution and density of caveolin 3 molecules at the plasma membrane of mdx mouse skeletal muscles: a fracture-label electron microscopic study, 171
Shima, H., see Horiguchi, T., 115
Shimazaki, K., see Niu, A., 37
Shimizu, K., see Horiguchi, T., 115
Shin, M., see Lee, G., 17
Sieja, A., see Przewlocka, B., 107
Singh, S., see Ait-Ghezala, G., 87
Small, D.H., see Sáez-Valero, J., 199
Soeda, H., Tatsumi, H., Kozawa, Y., Mishima, H., Imai, K., Katayama, Y., Functional characterization of calcium channels localized on the growth cones of cultured rat dorsal root ganglion cells, 5
Sorbi, S., see Orlacchio, A., 13
Spitzer, M., see Ruchsow, M., 203
St George-Hyslop, P.H., see Orlacchio, A., 13
Starowicz, K., see Przewlocka, B., 107
Stefani, A., see Orlacchio, A., 13
Steinmetz, H., see Falkai, P., 25
Suga, S., see Horiguchi, T., 115
Sugawara, Y., see Niu, A., 37
Suh, Y.S., Oda, S.-i., Kang, Y.H., Kim, H., Rhyu, I.J., Apoptotic cell death of cerebellar granule cells in rolling mouse Nagoya, 1

Taché, Y., see Wang, L., 47
Takano, M., see Sato, T., 83
Tariq, M., see Al Deeb, S., 216
Tatsumi, H., see Soeda, H., 5
Tejwani, G.A., see Isola, R., 67
Temperli, P., see Pralong, E., 144

Tepest, R., see Falkai, P., 25
Thaung, C., Arnold, K., Jackson, I.J., Coffey, P.J., Presence of visual head tracking differentiates normal sighted from retinal degenerate mice, 21
Town, T., see Ait-Ghezala, G., 87
Toya, S., see Horiguchi, T., 115

Vaccaro, R., see Badiani, A., 79
Valeri, P., see Badiani, A., 79
Villemure, J.-G., see Pralong, E., 144
Vingerhoets, F., see Pralong, E., 144
Vinogradova, I.M., Zajicek, J., Gentile, S., Brown, E.R., Effect of glycine on synaptic transmission at the third order giant synapse of the squids *Alloteuthis subulata* and *Loligo vulgaris*, 42
Vivas, N.M., see Roman, S., 103

Wakayama, Y., see Shibuya, S., 171
Wallesch, C.-W., see Blanken, G., 72
Wang, L., Saint-Pierre, D.H., Taché, Y., Peripheral ghrelin selectively increases Fos expression in neuropeptide Y – synthesizing neurons in mouse hypothalamic arcuate nucleus, 47
Wang, N., see Peng, Y.-J., 134
Wang, Y., see Zhang, X., 99
Watanabe, S., Miki, K., Kakigi, R., Gaze direction affects face perception in humans, 163
Weiss, M., see Balon, N., 33

Yazawa, T., see Ishiwata, T., 167
Yoshida, K., see Iwamoto, Y., 211

Zajicek, J., see Vinogradova, I.M., 42
Zanesco, A., see Gasparetti, A.L., 147
Zhang, A., see Altura, B.M., 95
Zhang, H., see Isola, R., 67
Zhang, X., Wang, Y., Li, S., Huang, X., Cui, L., Early detection of cognitive impairment in patients with obstructive sleep apnea syndrome: an event-related potential study, 99